

FLOORING STANDARDS

Caption by Hyatt

ACCOUNT MANAGER

Lauren Serra

lauren.serra@shawcontract.com

312.350.3860

CUSTOMER SERVICE

Ingrid Munson

ingrid.munson@shawcontract.com

312.533.9514

VP STRATEGIC ACCOUNTS

Desiree Perkins

desiree.perkins@shawcontract.com

404.452.3055



ShawContract[®]
hospitality



Our Sustainability Story

Everyone should have access to sustainable products for the places where we heal, learn, rest and work. Our brand vision, Smarter Impact, is our call to action to share insights and solutions that help you act on your power for positive change, especially when it comes to making sustainable choices.

Our view of sustainability encompasses not only the environmental health of our products and our operations, but also how our products impact human experience. For more than 20 years, Shaw Contract Hospitality has demonstrated our commitment to the Cradle to Cradle® design philosophy and the Cradle to Cradle Certified™ Products Program. More than 90% of the products we manufacture have achieved this prestigious multi-attribute certification, protecting humans and the environment.



Declare.

EPD®



Attributes

- Guest comfort and experience
- High-traffic durability
- Housekeeping support and cleanliness
- Improved acoustics
- Reduced renovation downtime
- Welcoming, customized design

Why Shaw Contract Hospitality?

- By selecting materials that are sustainably sourced, long-lasting and free of harmful chemicals, hotels can assure guests that their values matter. Shaw Contract Hospitality offers a portfolio of products that satisfy the most stringent sustainability certifications.
- An entire team dedicated to customizing your hospitality project, including design services, visualization, estimating, and install seaming diagrams
- Single point of contact for order entry/monitoring, shipment tracking and expediting, technical services, risk mitigation and problem resolution
- Tailored stocking program based on your forecasting to ensure availability of your standard products and rapid service/reduced lead times

Product Breadth


- Area Rugs
- Broadloom
- Carpet Tile
- Hardwood
- LVT
- Sheet
- Bio-based Resilient
- COREtec® Resilient
- Accessories





LVT @ Guestroom | RF-01A

Style	BS817
Color	90250
Product Type	COREtec
Construction	Multilayer SPC with Attached Cork Underlayment
Wear Layer Thickness	20 mil 0.02 in 0.51 mm
Overall Thickness	0.197 in 5 mm
Nominal Dimensions	7 in × 48 in 18 cm × 122 cm
Actual Dimensions	7.20 in × 48.03 in 18.29 cm × 122 cm
Installation	Floating
Approved Install Method	Stagger
Area Per Box	28.84 sq ft 12 pcs per box
Warranty	15 Year Commercial Limited



For sample, order BS817 color 90250.



LVT @ Public Areas & Communal Meeting Space | RF-50

Style	BS522
Color	06008
Product Type	COREtec
Construction	Multilayer WPC with Attached Cork Underlayment
Wear Layer Thickness	30 mil 0.03 in 0.76 mm
Overall Thickness	0.335 in 8.5 mm
Nominal Dimensions	7 in × 59 in 18 cm × 150 cm
Actual Dimensions	7.09 in × 59.06 in 18.01 cm × 150.1 cm
Installation	Direct Glue
Approved Install Method	Stagger
Area Per Box	17.43 sq ft 6 pcs per box
Warranty	15 Year Commercial Limited




For sample, order BS522 color 06008.



Carpet @ Communal Meeting Space | CP-50

Style	BS519
Color	39211
Product Type	Carpet Tile
Fiber	Eco Solution Q® Nylon
Dye Method	66% Dye Injection Print / 33% Solution Dyed
Construction	Cut Pile
Tufted Weight	30 oz/yd² 1,017.2 g/m²
Gauge	1/10 in 39.4 per 10 cm
Stitches	8.5 per in 34.0 per 10 cm
Size	24 in x 24 in 61 cm x 61 cm
Backing	EcoWorx® Tile
Installation	Direct Glue
Approved Install Method	Quarter Turn
Warranty	Lifetime Commercial Limited



For sample, order BS519 color 39211.

Additional Product Options

Carpet Tile Adhesive

Style	H5000
Description	LokWorx+ Carpet Tile Adhesive 4 gal
Spread Rate	28-33 sy per gal

LVT Adhesive

Style	179CA
Description	LokWorx Resilient Adhesive 4 gal
Spread Rate	175-225 sf per gal

Universal Performance Adhesive

Style	340VS
Description	Shaw 4151 4 gal
Spread Rate	175-200 sf per gal

